

Self-Service Kiosk | HS520U

Key Features

- ❑ 27" True flat capacitive touch screen enhancing user experience
- ❑ Flexible operational scenarios, wall mount or floor stand
- ❑ Multi-modular design allowing for self-service or self-checkout customization to suit a variety of retail or hospitality environments
- ❑ The host adopts aluminum alloy frame, More beautiful and fashionable.
- ❑ Front Panel openable design for easy maintenance



| MODEL | | HS520U |
|----------------------|---------------------|--|
| Processor | | Intel Tiger Lake UP3 CPU: Core i3 11 th generation Optional: Core i5 11 th generation |
| Operating System | | Windows 10 / Windows 11 / Linux |
| Memory | | SO-DIMM DDR4 3200MHz 4GB, up to 16GB |
| Storage | | 2.5inch SATA SSD 128GB, up to 512GB |
| | | M.2 drive 128GB, up to 512GB |
| Display Panel | | 27inch TFT-LCD / 16:9 / Display resolution: 1920*1080 |
| Touch Screen | | True flat capacitive touch screen |
| Power Supply | | 150W integrated power supply |
| Integrated Scanner | | Single window, support 1D/2D barcode |
| Integrated Printer | | 80mm thermal printer |
| Speaker | | 2*5W Speaker |
| MIC | | MIC, Omnidirectional |
| I/O Ports | | 1*RJ45, 100M/1000M Gigabit LAN port |
| | | 7*USB 2.0 Ports |
| | | 4*Serial Ports |
| Dimensions (L*W*H) | | 1855.8*1092*482 mm |
| Weight | | 57Kg (Host + stand) |
| Optional Peripherals | Transaction camera | Face ID camera or Membership camera |
| | Alarm light | Security camera |
| | | Alarm light |
| | | Number plate |
| | Wireless Connection | Dual-band Wi-Fi® 802.11a/b/g/n/ac 2.4GHz/5GHz |
| | Card reader | MSR (only) |
| | | MSR + RFID |
| | Fingerprint reader | Fingerprint Reader |
| | Security scale | 60kg security scale |
| | | 120kg security scale |
| | Stand | Ground Stand |
| | | Big Metal plate (optional for no grounding screws) |
| | Wall Mount | Wall mount bracket (for no stand) |
| | Shelving Unit | Big shelving unit (metal /plastic) |
| | | Small shelving unit (metal /plastic) |
| | Bracket | EFTPOS holder |
| | | External Fiscal Printer holder |
| | | Disinfectant bottle holder |
| Operating Voltage | | 110V/240V AC, 50-60Hz |
| Environment | Operating | 5°C - 40°C/40%-60% RH non-condensing |
| | Storage | -5°C - 50°C/30%-80% RH non-condensing |
| EMC and Safety | | CE / FCC / RoHS |
| Colour | | Standard: White, Optional: Black |



- Front opening door for easier maintenance

- Patented protection lock, printer anti-theft design to prevent accidental touch



- Big Shelving Unit or Small Shelving Unit optional



Disclaimer: All products specifications are subject to change without notice.

QINGDAO HISTONE INTELLIGENT COMMERCIAL SYSTEM CO.,LTD.
 Wisdom Valley, NO.8 Shengshui Road, Laoshan District, Qingdao City, China.

Tel: +86 (532) 66069168

✉ infopos@histonetec.com

🌐 www.hics.histonetec.com

HiStone